

Ref. No. _____

Date _____

To,
The Director (I)
Ministry Of Environment, Forest & Climate Change (MEFCC)
Regional Office (Central Region)
Vasant Vihar, 3rd Floor, Sector-14,
Gurgaon, Gharokh
Gharokh, Gurgaon

Date: 04/01/2024

Sub: Submission of Six monthly Compliance Report Condition of Environmental Clearance (for period of October 2023 to March 2024) for Gadh Road Ethanol (Bio fuel) Plant (100 MTPD) along with cogeneration power plant (4 MW) by M/s Allianz Distillery Ltd at Village-Bahawal, Tehsil - Chota, District-Mukerai, (P.N.V)'s AGRICULTURE DISTILLERY UNIT-08

Dear Sir,

In accordance with the condition of Environmental Clearance issued from Ministry of environment, Forest and Climate Change, New Delhi, vide EC condition no. CC2016005P048688 No. No. 14-111811/2012(02-14-10) dated 21st November 2012, we are submitting here with six monthly compliance report of stipulated condition of Environmental Clearance for last year for the period of October 2023 to March 2024 for above said project.

Thanking you,

Yours Sincerely

Authorized Signatory

for M/s ALLIANZ DISTILLERY LIMITED

CC:-

1. The Member Secretary, Inter Pradesh Pollution Control Board, Building No. 10-17C, Vasant Vihar, Gurgaon, Haryana - 201018
2. The Secretary, EPAC, Directorate of Enforcement of ETC, Dr. Bhanu Pratap Arora, Panchsheel Park, Vasant Vihar, Gurgaon, Haryana
3. The Chairman, Central Pollution Control Board, Park Road, New Delhi - 110 002



Authorized Signatory

Six-Monthly Environmental Compliance Report
Against Stipulated Conditions of Environmental Clearance
(October 2023 to March 2024)

FOR

GRAIN BASED ETHANOL (BIO FUEL) PLANT (100 KLPD) ALONG
WITH COGENERATION POWER PLANT (4 MW)
AT VILLAGE-BAHARAWALI, TEHSIL - OHHATA,
DISTRICT - MATHURA, U.P

BY

M/S ALLIANZ DISTILLERY LTD

EC Registration No. - ECGA00001718818

File No. - MHA/101/2023/00016/EC

Date of Issue - 01.11.2023

Submitted to:
Ministry of Environment Forest and Climate change
(MoEF&CC)

Submitted by:
M/S Allianz Distillery Ltd

July, 2024

TABLE OF CONTENTS

S. No.	Contents	Page No.
Chapter 1 Introduction and Project Description		
1.1	Introduction	04
1.2	Project Description	04
1.3	Project Location	05
1.4	Project Status	05
1.5	Purpose of the Report	06
Chapter 2 Compliance of Regulated Conditions of Environmental Clearance		
	Specific Conditions for buildings in accordance with	
Part 1	Regulatory compliance	07
Part 2	Special Conditions	11
Chapter 3 Details of Environmental Monitoring		
3.1	Ambient Air Quality Monitoring	14
3.1.1	Ambient Air Quality Monitoring Stations	14
3.1.2	Ambient Air Quality Monitoring Methodology	14
3.1.3	Ambient Air Quality Monitoring Results	14
3.1.4	Discussion on Ambient Air Quality in the Study Area	18
3.2	Ambient Noise Monitoring	18
3.2.1	Ambient Noise Monitoring Locations	18
3.2.2	Methodology of Noise Monitoring	18
3.2.3	Ambient Noise Monitoring Results	18
3.2.4	Discussion on Ambient Noise Levels in the Study Area	18
3.3	Groundwater Quality Monitoring	18
3.3.1	Groundwater Quality Monitoring Locations	18
3.3.2	Methodology of Groundwater Quality Monitoring	17
3.3.3	Groundwater Quality Monitoring Results	17
3.3.4	Discussion on Groundwater Quality in the Study Area	18
3.4	Soil Monitoring	18
3.4.1	Soil Monitoring Locations	18
3.4.2	Methodology of Soil Monitoring	18
3.4.3	Soil Monitoring Results	18
3.4.4	Discussion on Soil Characteristics in the Study Area	
Tables		
3.1	Details of Ambient Air Quality Monitoring Stations	14
3.2	Technique used for Ambient Air Quality Monitoring	14
3.3	Ambient Air Quality Monitoring Results	14
3.4	Details of Ambient Noise Monitoring Stations	18
3.5	Ambient Noise Monitoring Results	18
3.6	Details of Water Quality Monitoring Station	17

S. No.	Contents	Page No.
1.7	Groundwater Quality Monitoring Results	27
1.8	Details of Soil Quality Monitoring Location	28
1.9	Physico-Chemical Characteristics of Soil in the Study Area	28
Figures		
1.1	Location-wise Variation of Ambient Air Quality	22
1.2	Location-wise Variation of Ambient Noise Levels	28
Annex		
1.	Environmental Clearance Letter from MoEF	
2.	DO Certificate	
3.	Permission from GGVIA for Ground water	
4.	Monitoring Report	
5.	Advertisement of EIA in two local newspapers	
6.	OTI of the project	
7.	Site Photographs	

प्रस्तावित 100 किलो लिटर प्रतिदिन एथेनॉल

1.1 Introduction

M/S Ajjala Distillery Ltd (ADL) has planned to set up a new generation grain based 100 KLD distillery (Ethanol production) plant with ZLD system (zero liquid discharge) along with 4.0 MW captive power generation located at Village-Baharwal, Tehsil - Chhata, District -Muzaffar, Uttar Pradesh. The main product, Ethanol, will be sold to fuel oil marketing companies under Ethanol Blended Petrol Program of the Government of India.

According to the MCEP&CC notification S. No. 1333(E) dated 18th June, 2011, "Grain based distilleries with Zero Liquid Discharge producing ethanol solely to be used for Ethanol Blended Petrol Program of the Government of India shall be considered under S1 Category" and as per the requirement of the notification, the project proponent has submitted a notarized affidavit that ethanol produced from proposed project shall be used completely for B9F Program.

This project has been granted environmental clearance vide EC Identification No. EC21A660UP166666, dated 04th November, 2012 (File no-16-3-13011/781/2012-16-1) by the Ministry of Environment, Forest and Climate Change. Copy of same is attached as annexure 1.

1.2 Production Process

The proposed 100 KLD grain based distillery will utilize broken rice, wheat, millets etc. as the basic raw material to produce Fuel Grade Ethanol. The plant will be based on Batch Fermentation Technology considering overall availability of grains with 'Wash to Ethanol WFF-MSDH Distillation' technology with ZLD for production of anhydrous ethanol (bio-fuel) for use of blending in automobile fuel, conforming to motor standard IS 13484(2004) for usage to DMCI.

The by-products generated for manufacturing of fuel grade ethanol are Distillers wet Grain with Solubles (DW/S), Distillers Dry Grain with Solubles (DDGS), DDG and Fusel oil (by-products). The process will adopt ZLD system (zero liquid discharge) and no process effluent will be discharged outside. The process will be based on Dry Milling Technology.

Table 1.1: Details of Products and Capacity of the Proposed Plant

S. No.	Name of the unit	Name of the product/ by-product	Production capacity
1.	Stillers	Ethanol	100 KLD
2.	Cogeneration Power plant	Power	4 MW
3.	S/WSS system	DDGS - By product	48 TPD
4.	Cogeneration unit	Carbon dioxide, By product	60 TPD

Table 1.2 Salient Features of the project

S. No.	Particulars	Quantity	Unit
1.	Plant/Production Capacity	100	KLD(Ethanol)
2.	Land/plot area	12.48	Acres
3.	Project Capex (cro)	132.5	Cr
4.	Power Requirement	5.13	MTP

5.	Captive power generation	4	MW
6.	Drain area	4.5 (80% of plot area)	Acre
7.	Fresh water requirement	575	KLD
8.	Capacity of STP	20	KLD
9.	Effluent generated from Condensate/ spent/leak/ blowdown etc.	900	KLD
10.	Condensate Polishing Unit	1100	KLD
11.	Discharge of treated effluent	68 (2.0)	
12.	Rain water storage tank	1000	KL
13.	Expected occupation/workers	166	nos

1.3 PROJECT LOCATION

The distillery project is coming up at Khara no 577, 578, 580, 581, 582, 583, 584, 587th, 588, 589, 590 at Village- Baharawal, Tahal - Chhota, District- Jamnagar, Uttar Pradesh - 221 401.

1.4 PRESENT STATUS

Construction work has been completed at the project site. CTO will be obtained before start of operation phase.

1.5 PURPOSE OF THE REPORT

This six-monthly report is being submitted as per the condition stipulated in the Environmental Clearance letter.

Further, the environmental monitoring and compliance check will identify the environmental impacts impacted, if any, due to the project activities.

The environmental monitoring and compliance check is carried out to verify the following -

- That the project does not have any significant adverse environmental impacts in the project area and its surrounding.
- Compliance with the conditions stipulated in the Environmental Clearance letter.
- The Project Management is implementing the environmental mitigation measures as suggested in the approved Form-1, Form-1A, Environmental Management Plan (EMP), Environmental Clearance letter and other approvals.
- The project proponent is implementing the environmental safeguards in true spirit.

CHAPTER-2

COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE

Name of Project	Grain based ethanol (Bio Fuel) Plant (100 KLPD) along with cogeneration power plant (4 MW) By M/s. Atlas Distillery Ltd at Village-Bahawal, Tehsil - Dhoke, District-Mathura, UP
EC number/letter No.	2023/0007/00112, dated 21 st November, 2023
Period of compliance Report	October 2023 to March 2024

2:- Statutory compliance.

1.	As per the Notification I.O. 2020/C, dated 18 th June, 2021, project falls in category EC and the proposed capacity of 100 KLPD grain only be used for fuel ethanol manufacturing as per self-certification in form of a notarial affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol produced based on the EC granted as per this dispensation, is not being used completely for EEP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been approved as category EC project, the EC shall stand cancelled.	The proposed project is for setting up a 100 KLD Grain based Ethanol Plant unit. The product ethanol will be only used for fuel ethanol manufacturing as per the EEP Programme. The affidavit has been already submitted with the EC application. The condition will be complied with true spirit.
2.	The company shall comply with all the environmental protection measures and safeguards proposed in the commitments submitted to the Ministry. All the recommendations made in the EA/EUP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	All the environmental protection measures and safeguards as per the recommendations made in the EA/EUP in respect of environmental management, and risk mitigation measures relating to the project will be complied.
3.	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of approval of project. CUU certificate shall be obtained before start of construction activities.	The proposed project is being set up on the land for which actual land documents has been submitted to the Ministry at the time of EC application. CUU certificate has been obtained, copy of the same is attached as Annexure 02.
4.	NOC from the Central Ground Water Authority (CGWA)/ Concerned local authority shall be obtained before start of the construction of plant and drawing of the ground water for the project activities. State Pollution Control Board/ Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act in the project proponent shall obtain such permission.	Permission has been obtained for drawing of the ground water vide Reg. no. 2021070000000000 valid from 26/08/2021 to 25/08/2027 from Ground water department U.P. Copy of the same is attached as Annexure 03.

3.	Total Fresh water requirement shall not exceed 4 KL/TO. of ethanol production which will be met from ground water. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 1000m ³ capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	It will be ensured that the water requirement for the project will not exceed the mentioned limit. Rain water storage tank of 2000 cum will be constructed for storing the rain water which will be reused within the project site.
6.	Spent wash shall be dried to form DDGS to be used as cattle feed. The condensate, spent lees and distilled effluent shall be treated in the STP comprising tertiary treatment (Condensate Polishing Unit). Treated effluent will be recycled/reused for makeup water of cooling towers/process etc. and no waste or treated water shall be discharged outside the premises. STP shall be installed to treat the sewage generated from factory premises.	DDGS obtained will be sold as cattle feed. Industrial effluent will be treated and entirely recycled. The sewage generated will be treated in the on-site STP and treated sewage will be recycled in the green area. SLD system will be adopted and no effluent will be discharged outside.
7.	ESP of 5 fields with a stack height of 22 meters will be installed with 20 TPH biomass/coal fired boiler for controlling the particulate emissions within the statutory limit of 20 mg/hyd. SO ₂ and NO _x emissions shall be less than 100 mg/hyd. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system installed by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually.	The ESP with proper stack height of 22 m will be installed with the proposed 20 TPH boiler for controlling the particulate emissions within the statutory limit. During the operation phase of the project, performance assessment of pollution control devices/systems will be conducted annually and submitted with the EC compliance report.
8.	Boiler ash will be used for brick manufacturing and supplied to brick manufacturers in covered trucks. PP shall use biomass as fuel for the proposed boiler. PP shall meet 25% of the total power requirement from solar power by generating power inside plant premises/ adjacent /nearby area.	During operation phase, boiler ash generated will be supplied to brick manufacturing unit in covered trucks. Biomass will be used as fuel for the boiler except in case of availability of biomass, coal will be used. Provision for installation of solar panels will be made at appropriate stage of development.
9.	CO ₂ generated will be scrubbed and supplied to authorized vendors.	CO ₂ generated will be scrubbed, liquefied and sold to end users.
10.	PP shall allocate at least Rs. 20 Lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in	20 lakh/ annum will be allocated for occupational health safety. All the preventive measures like training of workers regarding safety, compulsory

	<p>devising the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.</p>	<p>use of PPEs, first aid arrangements, safety harnesses, work permit system, etc. for occupational health safety will be taken care off.</p>
11.	<p>Training shall be imparted to all employees on safety and health aspects of chemical handling. Safety and visual reality training shall be provided to employees.</p>	<p>Training of workers regarding safety and health aspects of chemical handling will be provided. Block drill will be conducted.</p>
12.	<p>The unit shall make the arrangements for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms. FESD certificate shall be obtained.</p>	<p>Arrangements for protection against the possible fire hazards during manufacturing process in material handling will be made. Approval from FESD and Fire department will be obtained before start of operation.</p>
13.	<p>Process organic residues and spent carbon, if any, shall be sent to Cement and other suitable industries for its incorporation. STP sludge, process inorganic & wastewater will shall be disposed off to the TSTT. Filter areas shall be installed for dross of sludge.</p>	<p>Filter press shall be installed as directed. STP sludge will be used as manure in green areas within premises. STP sludge, process inorganic & residual salt will be disposed off to the TSTT.</p>
14.	<p>The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes; (c) Use of automated filling to minimize spillage; (d) Use of Close feed system into batch reactors; (e) Venting equipment through vapour recovery system; (f) Use of high pressure hoses for equipment cleaning to reduce wastewater generation.</p>	<p>Proper strategies for waste minimization measures will be adopted during operation phase. By products like DCOG will be sold as cattle feed and Carbon dioxide will be flared and sold.</p>
15.	<p>The green belt of at least 2-10 m width shall be developed in 2.24 Ha i.e., nearly 40% of the total project area with tree density @ 2500 trees per hectare. Mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Factors of tree canopy shall be monitored through remote sensing map. Greenbelt development shall be completed before commissioning of the plant.</p>	<p>Green belt will be developed as per the condition imposed. Two fair green belt as per CPCB guidelines with selection of native plant species will be developed at appropriate stage of development.</p>

16.	<p>PP proposed to allocate Rs. 1.3 Crores towards Extended EHV (CEE) which shall be spent as submitted in CEE plan for monitorable activities like upgradation of schools with provision of facilities e.g. Class rooms, playground, laboratory, library, Computer desk, toilets, Drinking water facilities, solar light/solar power support for uninterrupted power supply etc. Further, all the proposed activities under CEE shall be completed before the commissioning of the plant in consultation with District Administration.</p>	<p>As per the proposal extended EHV/CEE will be allocated for development of roads, providing training for generating skill development, distribution of IT gadgets, installation of solar panels, free health checkup, upgradation of drinking water facility, etc. will be done in nearby villages. Necessary communication and finalization regarding the CEE activities will be made with the district administration.</p>
17.	<p>There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. As proposed, 4.0 H area is earmarked for parking with facilities like rest rooms etc. within the project site and dedicated additional 5 acres parking area will be provided separately outside the plant premises, which is located 1.5 KM away.</p>	<p>Adequate parking space as proposed in the EC application (4H) of plot area will be provided within the project premises. Additionally, parking will be provided on a separate land of area 5 acres owned by the company.</p>
18.	<p>Storage of raw materials shall be either in pits or in covered areas to prevent dust pollution and other fugitive emissions. Air stockpiles should be constructed over impervious soil and ground drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered shed and wind breaking walls/outlines shall be provided around biomass storage area to prevent its suspension during high windspeed. All internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plants/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.</p>	<p>Construction work is completed now. During operation phase raw materials or biomass will be storage in covered areas to prevent the dust pollution and other fugitive emissions. It will be ensured that the Air Pollution Control System kept interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.</p>
19.	<p>Continuous online (24x7) monitoring system for stack emissions/effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCC server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.</p>	<p>Continuous online (24x7) monitoring system for stack emissions/effluent will be installed. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.</p>

20.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/soeciation in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ Managing Director/CEO or per company hierarchy.	Noted.
21.	The demolition waste shall be disposed in compliance with the provisions of CSD Waste Management Rules, 2008. Since, proposed site is located in the existing leather factory operational 8 years ago, TCLF test shall be conducted of soil in 0.25 m ² area.	Construction work is completed at the project site. The condition has been complied during construction phase.
22.	PP shall conduct and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MCD/SOC on 12 th August, 2011. A report along with photographs on the measure taken shall also be included in the six-monthly compliance report being submitted to concerned authority.	Awareness is created among the people working in the project area as well as its surrounding areas regarding the ban on single use plastic. The environmental impact of plastic use and awareness regarding of impact of plastic use is created time to time among the masses.
9. General Conditions		
1)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/CEAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to the Ministry for clearance, a fresh reference shall be made to the Ministry/CEAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	The condition will be complied with true spirit. No deviation or alteration will be made with respect to the submitted proposal.
2)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	LED lighting is being used in the project.
3)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hood, silencers, enclosures etc. on all sources of noise generation. The ambient noise	Noise level is being maintained well within the standards through the noise control measures including acoustic hood, silencers, sound proofing, proper maintenance and lubrication of

	levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	the equipment. Only PUC certified vehicles are allowed at the project site.
iv)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake socio-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	As committed during EC application, CSR activities will be undertaken in nearby villages. Details of the same will be submitted in the subsequent compliance report as and when the activities will be taken up.
v)	The company shall allocate sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds as earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	As proposed, Capital cost of EWP would be approx. INR 7.26 Crore and recurring cost for EWP would be approx. INR 1.09 Crore per annum.
vi)	A copy of the clearance letter shall be sent to the project proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Copy of the EC letter has been already sent to the Bahawal Panchayat Office, Zila Parishad.
vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPER and SPCC. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Six monthly compliance report shall be submitted time to time. Six Monthly Compliance Report will be uploaded on the web site in due course of time.
viii)	The environmental statement for each financial year ending 31st March in Form IV as mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of	Once the unit starts operation, Environmental Statement in Form IV will be submitted every year.

	compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by email.	
ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the EPC/Committee and may also be seen at Website of the Ministry and at http://parivash.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Advertisement of EC letter in two local newspapers has been done. Copy of the same is attached at Annexure 05.
x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted same will be complied.
xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NDT and any other Court of Law, if any, as may be applicable to this project.	Noted.

CHAPTER-3

DETAILS OF ENVIRONMENTAL MONITORING

3.1 AMBIENT AIR QUALITY MONITORING

3.1.1 Ambient Air Quality Monitoring Stations

Ambient air quality monitoring has been carried out at one location, near main gate to assess the ambient air quality of Project Site in the Month of March, 2024. This will enable to have an analytical understanding about air quality and the changes in the air environment in the study area with respect to the condition prevailing. The location of the ambient air quality monitoring station is given in Table 3.1.

Table 3.1 Details of Ambient Air Quality Monitoring Stations

S.No.	Location Code	Location Name/ Description	Environmental Setting
1	AO-1	Project Site	Urban Area

3.1.2 Ambient Air Quality Monitoring Methodology

Monitoring was conducted in respect of the following parameters:

- Particulate Matter TSP (PM10)
- Particulate Matter TSP (PM10)
- Sulphur Dioxide (SO₂)
- Nitrogen Dioxide (NO₂)
- Carbon Monoxide (CO)

The duration of sampling of PM10, PM2.5, SO₂ and NO₂ was 24 hourly continuous sampling per day and CO was sampled for 1 hour. The monitoring was conducted for one day at the location. This is to allow a comparison with the National Ambient Air Quality Standards.

The air sample was analysed as per standard methods specified by Central Pollution Control Board (CPCB) and B: IS:11. The techniques used for ambient air quality monitoring is given in Table 3.2.

High Particulate Sampler APH 200 instruments have been used for monitoring Particulate Matter TSP (PM10 i.e. $4.75\ \mu\text{m}$ and), and High-volume Dust Sampler AFM 400 was used for sampling High-volume Dust ($10\ \mu\text{m}$), gaseous pollutants like SO₂ and NO₂. Gasden and Gasden bags were used for collection carbon monoxide samples. NDA techniques have been used for the estimation of CO.

Table 3.2. Techniques used for Ambient Air Quality Monitoring

Sl	Parameter	Technique	Technical Protocol
1	Particulate Matter TSP	High Particulate Sampler APH 200, Gravimetric Method	CO-107, IS:1102
2	Particulate Matter SO ₂	High-volume Dust Sampler AFM 400, with online, automatic, Gravimetric Method	CO-107, IS:1102
3	Sulphur dioxide	Gasden bag and Gasden	CO-107, Part (i)
4	Nitrogen dioxide	Gasden bag and Gasden	CO-107, Part (i)
5	Carbon Monoxide	NDA	IS:10512, IS:1102

3.1.3 Ambient Air Quality Monitoring Results

The analyzed ambient monitoring results of PM₁₀, PM_{2.5}, SO₂, NO₂, and CO are presented in Table 3.1.

Table 3.1: Ambient Air Quality Monitoring Results

I. No.	Location Date	Location	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO
			($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	(mg/m^3)
		Limit	100	50	80	80	4
1.	14/03	Project site	180	80	11.1	11.0	1.08

3.1.4 Discussion on Ambient Air Quality in the Study Area

The levels of PM₁₀ and PM_{2.5} near main gate of project site is above their permissible limit of 100 $\mu\text{g}/\text{m}^3$ and 50 $\mu\text{g}/\text{m}^3$ respectively for residential, rural and other areas as stipulated in the National Ambient Air Quality Standard. SO₂, NO₂, CO were observed within the corresponding stipulated limit (limit for SO₂ and NO₂ 80 $\mu\text{g}/\text{m}^3$ and CO 4 mg/m^3) at monitoring location. Diurnal time variation of ambient air quality parameters has been generally shown in Figure 3.1.




Figure 3.1: Variation of Ambient Air Quality

3.2 Ambient Noise Monitoring

3.2.1 Ambient Noise Monitoring Locations

The main objective of noise monitoring in the study area is to assess the present ambient noise levels in project site due to various construction related activities and increased vehicular movement. A preliminary reconnaissance survey has been undertaken to identify the major noise generating sources in the area. Ambient noise monitoring was conducted at 1 location at the near main gate of the project in the Month of March, 2024, sites as given in Table 3.4.

Table 3.4: Details of Ambient Noise Monitoring Stations

S. No.	Location Date	Station Name/Description	Priority Category
1.	14/03	Project site	Category 1

3.2.1 Methodology of Noise Monitoring

Noise levels were measured using integrated sound level meter manufactured by Brüelkjær instrument the USA. The integrating sound level meter has integrating logging type with frequency range of 1/3 octave up to 20000 Hz (20000 Hz). This instrument is capable of measuring the Sound Pressure Level (SPL), L_{eq} and 25.00 on digital display.

Noise level monitoring was carried out continuously for 24 hours with one hour interval starting at 02:00 hrs to 23:59 hrs next day. The noise levels were monitored on working days only. During each hour L_{eq} were directly computed by the instrument based on the sound pressure levels. L_{eq} (L_{eq}), L_{night} (L_{night}) and L_{dn} values were computed using corresponding hourly L_{eq}. Monitoring was carried out at 4' receptors

and five nodes.

3.2.2 Ambient noise monitoring results

The locations with ambient noise monitoring result are summarized in Table 3.2. The location-wise variation of noise levels are graphically presented in Figure 3.2.

Table 3.2: Ambient noise monitoring results

Sl. No.	Test Location	Day Time (dB(A))		Night Time (dB(A))	
		Secchi	Limit as per CPCB guideline	Secchi	Limit as per CPCB guideline
1	near main gate	52.4	75	41.7	70




Figure 3.2 Location-wise variation of Ambient Noise Levels

3.2.4 Discussion on Ambient Noise Levels in the Study Area

Daytime noise level (L_{eq})

The daytime noise level at near main gate was within the limit for industrial area i.e. 75 dB(A).

Nighttime noise level (L_{eq})

The nighttime noise level at near main gate was within the limit for industrial area i.e. 70 dB(A).

3.3 Groundwater Quality Monitoring

3.3.1 Groundwater Quality Monitoring Locations

Keeping in view the importance of groundwater as an important source of drinking water to the local population, sample of ground water was collected from the project site for the assessment of impacts of the project on the groundwater quality.

Water sample was collected from 1 location from nearby project area. The sample was analyzed for various parameters to compare with the standards for drinking water as per IS 10000 for ground water source. The details of water sampling locations are given in Table 3.6.

Table 3.6 Details of Water Quality Monitoring Station

S. No.	Locn. Code	Location Name/ Description
1.	WQ 1	Nearby project area

3.3.1 Methodology of Groundwater Quality Monitoring

Sampling of ground water was carried out on March, 2024. Samples were collected as grab sample and sampling forms are filled in as per the sampling plan. The preservative sample were properly added to preserve as per standard operating procedure (SOP) and stored immediately in ice boxes, which were crushed for appropriate temperature. Sample for chemical analysis was collected in polyethylene carboys. Sample collected for metal contents were acidified to pH 2 with 2 ml HCl, a sample for bacteriological analysis was collected in sterilized glass bottles.

Soon after the completion of sampling, chain of custody sheets for the samples are filled in and then they were transported by road to R&D labs for further analysis. Proper care was taken during packing and transportation of samples. All the samples reached the central laboratory within the holding times for different parameters. After ensuring the same the samples were forwarded immediately for analysis.

The samples were analyzed as per the standard procedure specified in Standard Methods for the Examination of Water and Wastewater published by American Public Health Association (APHA) and CPEA. The analytical techniques and the test methods adopted for testing of ground water are given in table 3.7.

3.3.2 Groundwater Quality Monitoring Results

The detailed groundwater quality monitoring results are presented in Table 3.7.

Table 3.7 Groundwater Quality Monitoring Results

S No.	Parameter	Test Protocol	Result	Unit	Requirement as per IS 10000-2017	
					Acceptable (mg/L/Max)	Permissible (mg/L/Max)
1.	pH	IS 1010 P-1 (1997)	7.0	-	6.5-8.5	To Be Monitored
2.	Turbidity	IS 1010 P-2 (1996)	<0.1	NTU	1	1
3.	Total Solids	IS 1010 P-3 (1996)	21.0	mg/l	500	500
4.	Total Dissolved Solids (TDS)	IS 1010 P-4 (1996)	60.0	mg/l	500	500
5.	Calcium as Ca	IS 1010 P-6 (1996)	66.76	mg/l	75	200
6.	Magnesium as Mg	IS 1010 P-6 (1996)	92.0	mg/l	10	100
7.	Total Alkalinity as CaCO ₃	IS 1010 P-10 (1996)	274.0	mg/l	500	500
8.	Chloride as Cl	IS 1010 P-12 (1996)	224.0	mg/l	250	1000
9.	Sulfate as So	As per SOP (1/2023)	<0.08	mg/l	0.7	To Be Monitored
10.	Ammonia as N	IS 1010 P-14 (1996)	<0.1	mg/l	0.5	To Be Monitored
11.	Nitrate as NO ₃	IS 1010 P-16 (1996)	61.10	mg/l	500	500
12.	Iron as Fe	IS 1010 P-18 (1996)	14.0	mg/l	0.3	To Be Monitored
13.	Fluoride as F	As per SOP (1/2023)	0.41	mg/l	1	1.5
14.	Zinc as Zn	IS 1010 P-22 (1996)	0.11	mg/l	1.0	To Be Monitored
15.	Aluminum as Al	IS 1010 P-23 (1996)	<0.2	mg/l	0.5	2.0
16.	Arsonic Disoxide	As per SOP (1/2023)	<0.00	mg/l	0.1	1
17.	Toxicity Composite	IS 1010 P-27 (1996)	<0.00	mg/l	0.201	0.200
18.	Boron as B	IS 1010 P-27 (1996)	<0.1	mg/l	0.7	1.0
19.	Cadmium as Cd	IS 1010 P-31 (1996)	<0.01	mg/l	0.01	To Be Monitored

28.	Lead as Pb	IS 1021 P-07 (1993)	<0.01	mg/l	0.01	To Be Assessed
29.	Copper as Cu	IS 1021 P-07 (1993)	<0.01	mg/l	0.01	1.5
30.	Zinc as Zn	IS 1021 P-08 (1993)	<0.10	mg/l	0.01	To Be Assessed
31.	Chromium as Cr	IS 1021 P-09 (1993)	<0.01	mg/l	0.1	0.2
32.	Iron as Fe	IS 1021 P-08 (1993)	<0.01	mg/l	5	10
33.	Arsenic as As	IS 1021 P-07 (1993)	<0.01	mg/l	0.01	To Be Assessed
34.	Nickel as Ni	IS 1021 P-04 (1993)	<0.01	mg/l	0.01	To Be Assessed
37.	Cadmium as Cd	IS 1021 P-01 (1993)	<0.001	mg/l	0.001	To Be Assessed

2.2.4 Discussion on Groundwater Quality in the Study Area

From the above tables, it is observed that all physical and chemical parameters are found within the permissible limits. However, parameters like Total Hardness, Total Dissolved Solids, Total Alkalinity, mg, and Ca exceeds the acceptable limit as per IS:2000 standards.

2.3 Soil Monitoring

2.3.1 Soil Monitoring Locations

The objective of the soil monitoring is to identify the impacts of ongoing project activities on soil quality and also predict impacts, which have arisen due to execution of various construction allied activities. Accordingly, a study of assessment of the soil quality has been carried out.

To assess impacts of ongoing project activities on the soil in the area, the physico-chemical characteristics of soils were examined by obtaining soil samples from selected points and analysis of the same. One sample of soil was collected from the project site for studying soil characteristics, the location of which is listed in Table 2.2.

Table 2.2 Details of Soil Quality Monitoring Location

S. No.	Location Code	Location Name/Description
1.	01	Site Office

2.3.2 Methodology of Soil Monitoring

The sampling has been done in line with IS:1702 & Methods of Soil Analysis, Part-1, 2nd edition, 1998 of American Society for Agronomy and Soil Science Society of America. The homogenized samples were analyzed for physical and chemical characteristics (physical, chemical and heavy metal concentrations). The soil samples were collected in the month of March, 2024.

The samples have been analyzed as per the established scientific methods for physico-chemical parameters. The heavy metals have been analyzed by using Atomic Absorption Spectro-photometer and Inductively Coupled Plasma Analyser.

2.3.3 Soil Monitoring Results

The physico-chemical characteristics of the soil, as obtained from the analysis of the soil sample, are presented in Table 2.3.

Table 2.3 Physico-Chemical Characteristics of Soil in the Study Area

S. No.	Parameter	Test Method	Results	Unit
1.	pH	IS 1702 P-20 (1997)	7.9	-
1.	Conductivity	IS 14767 (S.A. 2010)	170.0	$\mu\text{S/cm}$
3.	Moisture	IS 1702 P-27 (1972)	10.00	% by mass
4.	Water Holding Capacity	IS:501:209:01:07	11.0	%

1.	Specific Gravity	IS 2700 2-3 (1990)	1.30	-
6.	Bulk density	IS 2610 209-21.04	1.40	g/cm ³
7.	Chloride	IS 2610 209-21.04	100.0	mg/kg
8.	Calcium	IS 2610 209-21.07	1100.0	mg/kg
9.	Sodium	IS 2610 209-21.11	120.0	mg/kg
10.	Potassium	IS 2610 209-21.12	40.0	mg/kg
11.	Magnesium	IS 2610 209-21.16	100.0	mg/kg
12.	Organic matter	IS 1700 7-21 (1972)	0.20	% by mass
13.	Cation Exchange Capacity (CEC)	IS 2610 209-21.05	17.4	meq/100gm
14.	Available nitrogen	IS 1426 (1959)	27.0	mg/kg
15.	Available Phosphorus	IS 2610 209-21.10	7.40	mg/kg
16.	Iron as Fe	IS 2610 209-21.21	1120.0	mg/kg
17.	Copper as Cu	IS 2610 209-21.21	10.0	mg/kg
18.	Zinc as Zn	IS 2610 209-21.20	11.0	mg/kg
	Trace			% by mass
19.	Sand	IS 2610 209-21.03	40.0	
	Clay		20.0	
	Silt		11.0	
20.	Sodium Absorption Ratio (SAR)	IS 2610 209-21.13	0.00	By calculation

3.4.4 Discussion on Soil Characteristics in the Study Area

The soil in study area is characterized by moderate organic content. The soil quality in the project area has not been affected by the project activities.

ANNEXURE I

This has reference to your online proposal no. IA/UP/01/289296/2022, dated 17th August, 2022 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the the project proposal seeking environmental clearance for setting up of 100 KLPD Grain based Ethanol Plant with 4 MW Cogeneration power plant (Fuel - Biomass or coal in case of unavailability of biomass) located at Village-Baharwal, Chhata Shergarh Road, Tahsil - Chhata, Dist. Hathura, UP - 201 401 by M/s Aflenz Distillery Limited.

3. As per the MoEFCC Notification S.O. 1229(E), dated 16th June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for BPP Programme.

4. The details of products and capacity for proposed plant are as under:

S. No.	Name of unit	Name of the product /by-product	Production capacity
1	Distillery	Ethanol	100 KLPD
2	Cogeneration power plant	Power	4 MW
3	Dryer	COGS	48 TPD
4	Fermentation unit	Carbon di-oxide	50 TPD

5. Standard ToR and public Hearing provision is not applicable as the project falls under category B2 as per OIA dated 16th June, 2021. It was informed that no litigation is pending against the project.

6. Total land area identified is 11.45 Acre (5.99 ha). Greenbelt will be developed in total area of 4.5 acre i.e., 39% of total project area. The estimated project cost is INR 129.9 Crores. Capital cost of BPP would be Rs. 7.26 Crores and recurring cost for BPP would be Rs. 1.99 Crores per annum. Industry proposes to allocate Rs. 1.3 Crores towards Extended BPP (Corporate Government Responsibility). Total Employment will be 166 persons as direct & indirect.

7. There are no national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/elephant Reserves, Wildlife Corridors etc. within 10 km distance. Reserve forests/protected forests: Shergarh R.F at an aerial distance of 13.08 km on north, Bethal R.F at an aerial distance of 14.5 km on NW, Nandgaon R.F at an aerial distance of 14.8 km on SW. The project site is located outside the TTI. Water bodies: (1) Shergarh Canal is at an aerial distance of 610 m on East, (2) Yamuna River

is situated at an aerial distance of 13.26 km on NE, iii) Kosi drain is at an aerial distance of 2.8 KM on SW, iv) Agro canal is at an aerial distance of 0.7 KM on SW, v) Tai Dune is at an aerial distance of 0.3 KM on SW.

8. AAQ modeling study for point source emissions (Fugitive dust) indicates that the maximum incremental QUCs after the proposed project would be $0.126\mu\text{g}/\text{m}^3$, $0.073\mu\text{g}/\text{m}^3$, $0.003\mu\text{g}/\text{m}^3$ and $1.90\mu\text{g}/\text{m}^3$ with respect to PM_{10} , $\text{PM}_{2.5}$, SO_2 and NO_2 . The baseline concentration and resultant concentrations of PM_{10} and $\text{PM}_{2.5}$ are slightly higher than the National Ambient Air Quality Standards (NAAQS). It explained the reasons for higher PM_{10} level of 180 micro gram/ m^3 that ambient air quality monitoring was done during summer season in the month of May. Air borne /wind laden dust contains high concentration of particulate matter (PM_{10} and $\text{PM}_{2.5}$). The wind direction was from west to east. Loose soil from non-irrigated agriculture land adds on to concentration of suspended particulate matter in air.

9. Total fresh water requirement will be $273\text{ m}^3/\text{day}$ including domestic & green area usage (60 KLD) which will be met through onsite ground water abstraction. PP has applied vide application no. HTWR07120VH0076 dated 22/07/2022 for obtaining ground water abstraction approval. Effluent (Condensate/spent lees/blowdown etc.) of $993\text{ m}^3/\text{day}$ quantity will be partly recycled and partly treated through Condensate Polishing Unit of capacity 1100 KLPD. Raw spillage 566 KLD (quantity of raw spent wash from distillation) will be sent to decanter followed by HSE and dryer to produce DOBS. STP of capacity 20KLD will be installed to treat sewage generated from factory premises. The plant will be based on Zero liquid discharge system and no effluent/treated water will be discharged outside factory premises.

10. Power requirement will be 3.15 MW and will be met from proposed 4.0MW cogeneration power plant. will be installed. APCE (ESP) with a stack height of 20 m will be installed with 30TTH boiler (Fuel - biomass or coal) in case of unavailability of biomass) for controlling the particulate emissions within the statutory limit of $50\text{ mg}/\text{m}^3$. 2 nos. @ 250 KVA each DG set will be used as standby during power failure and stack height (15m) will be provided as per CPCB norms to the proposed DG sets.

11. Details of process emissions generation and its management:

- APCE (ESP) with a stack height of 20 m will be installed for controlling the particulate emissions from boiler.
- Online Continuous Emission Monitoring System will be installed with the stack and data will be transmitted to CPCB/SPCB servers.
- CO_2 (30 TPD) generated during the fermentation process will be collected by utilizing CO_2 scrubbers, liquified and shall be sold to authorized vendors.

12. Details of Solid waste/Hazardous waste generation and its management:

- DOBS (Distilled Dried Brains Storage) (48 TPD) will be sold as cattle feed / poultry feed.

- Fly ash from boiler (approx. 39-40 TPD from coal or 10-15 TPD from biomass) will be generated. The same will be used in infrastructure base fill material/brick manufacturing unit set up by the project proponent in collaboration with local brick manufacturing unit.
- Bottom ash (approx. 26 TPD from coal or 15 TPD from biomass) will be generated and disposed for landfilling/road making activities.
- Used oil (approx. 140/annum) will be sold to authorized recyclers.
- STP sludge (30 kg/day) and STP Sludge (1.2 kg/day) will be used as manure.

13. As per Notification S.O 2329(E), dated 14th June, 2021, PP has submitted self-certification in the form of notarized affidavit declaring that the proposed capacity of 100 KLPD will be used for manufacturing fuel ethanol only.

14. Total land of 12.48 Acre (5.09 ha) is under possession of the company. Khata nos. 686, 688, 689, 690 and application submitted vide letter dated 09-09-2022 for conversion of land to Industrial Usage for the Khata nos. 677, 679, 680, 681, 682, 683, 687H.

15. During deliberations, SAC discussed the following issues:

- (i) No ground water shall be extracted without approval.
- (ii) Regarding PM10 level of 160 micro-gram/m³ PP informed that ambient air quality monitoring was done during summer season in the month of May. Air borne /wind laden dust contains high concentration of particulate matter (PM10 and PM2.5). The wind direction was from west to east. Loose soil from non-irrigated agriculture land adds on to concentration of suspended particulate matter in air. PP informed that all the air pollution control measures shall be taken to achieve prescribed air emission prescribed by the CPCB and SPCB. ESP of five fields to be installed to achieve the particulate emission levels of 20 mg/m³. Fugitive air emissions shall be controlled by adopting good housekeeping and planting of additional trees within the plant and along the road.
- (iii) Regarding revised GUC considering 0.3 % sulphur in fuel coal, the GUC calculation was done considering 0.35% sulphur in coal under worst case scenario. However, they have further conducted GUC calculation of 0.3 % sulphur.
- (iv) Details of revised CBR has been submitted.
- (v) ESP of five fields to be installed.
- (vi) Ash shall be collected in silo and transported through covered truck.
- (vii) PP informed that the existing leather factory was operated 3 years ago in the same land. Some of the infrastructure will be used for the proposed project.

The committee was satisfied with the response provided by PP on above information.

16. The proposal was considered by the SAC (Ind-II) in Meeting ID: 14/IND2/13327/01/09/2022 held during 01st - 02nd September, 2022 in the Ministry, wherein the project proponent and their environmental consultant namely M/s. SO Engineering Services Pvt Ltd., presented the case under E2 category. The Committee recommended the project for grant of environmental clearance.

17. The SAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members (domain experts in various fields), have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The SAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosure are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

18. The Committee noted that the EMP report is in compliance of the PRR. The Committee deliberated on the CER plan and found to be addressing the issues in the study area. The SAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the SAC have found the proposal in order and have recommended for grant of environmental clearance.

19. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/constitute to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Act/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

20. Based on the proposal submitted by the project proponent and recommendations of the SAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project proposed 100 KLPD Grain based Ethanol Plant with 4MW Co-generation power plant [fuel - Biomass or coal in case of unavailability of biomass] located at Village-Baharawal, Chhota Shergarh Road, Tonli - Chhota, Dist. -Mathura, UP - 281 401 by M/s Alliant Distillery Limited, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under -

A. Specific Conditions:

(1) As per the notification S.O. 1339(E), dated 16th June, 2021, project falls in category E2 and the proposed capacity of 100 KLPD shall only be used for fuel ethanol manufacturing as per self-certification in form of a notarised affidavit by

the Project Proponent. Provided that subsequently if it is found that the ethanol produced based on the EC granted as per this dispensation, is not being used completely for SSP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.

(ii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EIP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

(iii) EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project. CWC certificate shall be obtained before start of construction activities.

(iv) NOC from the Central Ground Water Authority (CGWA)/ Concerned Local authority shall be obtained before start of the construction of plant and drawing of the ground water for the project activities. State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.

(v) Total Fresh water requirement shall not exceed 4 KL/ML of ethanol production which will be met from ground water. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 1000m³ capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.

(vi) Spent wash shall be dried to form DDGS to be used as cattle feed. The condensate, spentless and utilized effluent shall be treated in the STP comprising tertiary treatment (Condensate Polishing Unit). Treated effluent will be recycled/reused for make up water of cooling towers/process etc. and no waste or treated water shall be discharged outside the premises. STP shall be installed to treat the sewage generated from factory premises.

(vii) ESP of 9 fields with a stack height of 35 meters will be installed with 30 TPH biomass/coal fired boiler for controlling the particulate emissions within the statutory limit of 30 mg/lm³. SO₂ and NO_x emissions shall be less than 100 mg/lm³. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually.

(x8) Boiler ash will be used for brick manufacturing and supplied to brick manufacturers in covered trucks. FF shall use biomass as fuel for the proposed boiler. FF shall meet 10% of the total power requirement from solar power by generating power inside plant premises/adjacent/nearby areas.

(ix) CO₂ generated will be bottled and supplied to authorized vendors.

(x) FF shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the workers health shall be set up. The health data shall be used in developing the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.

(xi) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.

(xii) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms. FESD certificate shall be obtained.

(xiii) Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incineration. STP sludge, process inorganic & evaporation salt shall be disposed of to the TSDP. Filter press shall be installed for drying of sludge.

(xiv) The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes; (c) Use of automated filling to minimize spillage; (d) Use of Close Feed system into batch reactors; (e) Venting equipment through vapour recovery system; (f) Use of high pressure hoses for equipment cleaning to reduce wastewater generation.

(xv) The green belt of at least 5-10 m width shall be developed in 2.04 Ha i.e., nearly 40% of the total project area with tree density @ 2500 trees per hectares, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored.

through remote sensing map. Greenbelt development shall be completed before commissioning of the plant.

(xv) FF proposed to allocate Rs. 1.2 Crores towards Extended EHP (CER) which shall be spent as submitted in CER plan for monitorable activities like up-gradation of schools with provision of facilities e.g. Class rooms, playground, laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light/solar power support for uninterrupted power supply, etc. Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District Administration.

(xvi) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. As proposed, 4.5 % area is earmarked for parking with facilities like rest rooms etc within the project site and dedicated additional 5 acres parking area will be provided separately outside the plant premises, which is located 1.3 KM away.

(xvii) Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and ground drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speeds. All internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.

(xix) Continuous online (24x7) monitoring system for stack emissions/effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(ix) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ Managing Director/CEO as per company hierarchy.

(ixi) The demolition waste shall be disposed in compliance with the provisions of C&D Waste Management Rules, 2016. Since, proposed site is located in the existing leather factory operational 9 years ago, TCLP test shall be conducted of soil in client site.

(xii) PR shall educate and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of notification published by MOEFCC on 12th August, 2023. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.

8. General Condition:

- (i) No further expansion or modifications in the plant, other than mentioned in the EoA Notification, 2008 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SOIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SOIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dB (day time) and 70 dB (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake socio-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban local Body

and the local NSO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

- (vii) The project proponent shall submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Office of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <http://mca.gov.in/epvishal.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

21. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

22. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

23. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 90 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

24. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

25. This issues with the approval of the competent authority.

(A. N. Singh)
Scientist-E

Copy to:-

1. The Secretary, Department of Environment, Government of Uttar Pradesh, 601, Bapu Bhawan, Secretariat, Vidhan Sabha Marg, Lucknow (UP) - 1
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Khandua Bhawan, 9th Floor, Sector 'H', Aliganj, Lucknow - 226002
3. The Chairman, Central Pollution Control Board Parkash Bhawan, C&O-cum-Office Complex, East Arjun Nagar, Delhi - 32
4. The Member Secretary, Uttar Pradesh Pollution Control Board, Building no. TC-12V, Mahuli Khari, Bansi Nagar, Lucknow - 10
2. The Member Secretary, Central Ground Water Authority, 18/11, Jai Nagar House, Karoligh Road, New Delhi - 11
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Dr. B. P. Pal, Parkash Bhawan, Jan Bagh Road, New Delhi
7. The District Collector, District Mathura, Uttar Pradesh
8. Guard File/Monitoring File/Parkash board/Record File

(A. N. Singh)
Scientist-E
E-mail: aditya.narayan@nic.in
Tel. No. 11-24642176

Signature Not Verified
Digitally signed by A N Singh
Scientist E
Date: 11/10/2023 12:28:28 AM

ANNEXURE II



आदेश पत्रिका

न्यायालय : उपजिलाधिकारी

मण्डल : आगरा जिला पंचायत, मण्डल, तहसील : उता

वाद संख्या : 113/2023

कम्प्यूटरीकरण क्रम संख्या : T2023015003900113

एलिसीओ डिस्ट्रीब्यूरी लिंक : [बनाम उमेशचंद्र](#)

अभिलेख संख्या : 80, अधिनियम : उत्तर प्रदेश राजस्व संहिता - 2006

दरखस्त।

12-01-2023

आज यह पत्रावली प्रस्तुत। पुकार पर प्रतीत रहित है। प्रतीत को मूल रूप से यह पत्रावली पर उपलब्ध दस्तावेजों का उल्लेख किया गया। संबंधित रिपोर्ट से आज यह मुझे को आदेश में लिखित रूप से प्रमाण पर उपलब्ध धारित किया जाता है। आदेश पुस्तक से संग्रहित है। यह आवश्यक कार्यवाही पत्रावली रहित प्रमाण पर ही आज।

उपजिलाधिकारी, उता।



Exam Results (Detailed)

Exam Name	Year	Exam Date	Exam Time	Max. Points	Points Achieved	Grade	Comments
Mathematics I	2023	15.01.2023	09:00-11:00	100	75	2.0	
Mathematics II	2023	15.01.2023	11:00-13:00	100	80	1.5	
Physics I	2023	15.01.2023	13:00-15:00	100	60	2.5	
Physics II	2023	15.01.2023	15:00-17:00	100	70	2.0	
Chemistry I	2023	15.01.2023	17:00-19:00	100	85	1.5	
Chemistry II	2023	15.01.2023	19:00-21:00	100	90	1.0	
English I	2023	15.01.2023	09:00-11:00	100	95	1.0	
English II	2023	15.01.2023	11:00-13:00	100	98	0.5	
Information Systems	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law I	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law II	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics III	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics III	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry III	2023	15.01.2023	09:00-11:00	100	85	1.5	
English III	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems II	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration II	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law III	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law IV	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History II	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory II	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals II	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics II	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics IV	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics IV	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry IV	2023	15.01.2023	09:00-11:00	100	85	1.5	
English IV	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems III	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration III	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law V	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law VI	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History III	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory III	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals III	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics III	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics V	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics V	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry V	2023	15.01.2023	09:00-11:00	100	85	1.5	
English V	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems IV	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration IV	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law VII	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law VIII	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History IV	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory IV	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals IV	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics IV	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics VI	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics VI	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry VI	2023	15.01.2023	09:00-11:00	100	85	1.5	
English VI	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems V	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration V	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law IX	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law X	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History V	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory V	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals V	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics V	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics VII	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics VII	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry VII	2023	15.01.2023	09:00-11:00	100	85	1.5	
English VII	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems VI	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration VI	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law XI	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law XII	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History VI	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory VI	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals VI	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics VI	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics VIII	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics VIII	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry VIII	2023	15.01.2023	09:00-11:00	100	85	1.5	
English VIII	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems VII	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration VII	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law XIII	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law XIV	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History VII	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory VII	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals VII	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics VII	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics IX	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics IX	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry IX	2023	15.01.2023	09:00-11:00	100	85	1.5	
English IX	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems VIII	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration VIII	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law XV	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law XVI	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History VIII	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory VIII	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals VIII	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics VIII	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics X	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics X	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry X	2023	15.01.2023	09:00-11:00	100	85	1.5	
English X	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems IX	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration IX	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law XVII	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law XVIII	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History IX	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory IX	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals IX	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics IX	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics XI	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics XI	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry XI	2023	15.01.2023	09:00-11:00	100	85	1.5	
English XI	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems X	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration X	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law XIX	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law XX	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History X	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory X	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals X	2023	15.01.2023	13:00-15:00	100	70	2.5	
Computer Graphics X	2023	15.01.2023	15:00-17:00	100	80	2.0	
Mathematics XII	2023	15.01.2023	17:00-19:00	100	90	1.0	
Physics XII	2023	15.01.2023	19:00-21:00	100	75	2.0	
Chemistry XII	2023	15.01.2023	09:00-11:00	100	85	1.5	
English XII	2023	15.01.2023	11:00-13:00	100	95	1.0	
Information Systems XI	2023	15.01.2023	13:00-15:00	100	88	1.5	
Business Administration XI	2023	15.01.2023	15:00-17:00	100	92	1.0	
Law XXI	2023	15.01.2023	17:00-19:00	100	78	2.0	
Law XXII	2023	15.01.2023	19:00-21:00	100	82	1.5	
Art History XI	2023	15.01.2023	09:00-11:00	100	90	1.0	
Music Theory XI	2023	15.01.2023	11:00-13:00	100	85	1.5	
Design Fundamentals XI	2023	15.01.2023	13:00-15:00	100	70	2.5	</

...the
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

10

11

12

... ..

... ..

... ..

... ..

... ..



ANNEXURE III

ANNEXURE IV



INDO RESEARCH & DEVELOPMENT HOUSE PVT. LTD.



ISO 9001:2015 Recognized Laboratory

ISO 14001:2015 Certified (JGSI) ISO 45001:2018

G-10, Sector 17, Gurgaon, Haryana-122002 (India)

Tel : +91 124 4215444, E-mail : central@indohouse.com

TEST REPORT

(Ambient Air)

Report No.	INDO/2024/0254/440/001
Date of Reporting	23/05/2024
Issued to	M/s Ind Tech Water Control, G-8/6, Durgam Plaza, Sector 22, Gurgaon, Delhi-122002
Project Name	Green-based Effluent (Bio-Tech/Plant) (100 KFD) along with comprehensive water (WWT) by M/s Indohouse Enviro Pvt. Ltd. of Gurgaon-Gurgaon, Haryana, District: Haryana, I.P.
Location	Project site
Date of Sampling	23/05/2024 to 23/05/2024
Type of Monitoring	Ambient Air Monitoring (24 Hours)
Parameters to be sampled	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ , CO
Weather condition	Clear sky
Method of sampling	As per standard method
Sample drawn by	INDO/2024

RESULTS

S. No.	Parameter	Method	Results	Unit	Requirement (IS:10318 limits)*
1.	Particulate Matter as PM ₁₀	IS:10318/A/2010/1	60.0	µg/m ³	60
2.	Particulate Matter as PM _{2.5}	IS:10318/B/2010/1	102.0	µg/m ³	60
3.	Sulphur dioxide as SO ₂	IS:10318/C/2010/1	1.2	µg/m ³	60
4.	Nitrogen dioxide as NO ₂	IS:10318/D/2010/1	0.9	µg/m ³	60
5.	Carbon monoxide as CO	IS:10318/E/2010/1	1.08	µg/m ³	60

*Upper specification published by MOEF, Govt. of India, New Delhi on 18 Nov. 2009

(Round figure)

By SNA HARI
Authorized Signatory

1. This Report remains the property of Indohouse.

2. This Report cannot be used for any purpose other than that for which it was prepared.

3. Samples shall be retained for a period of 30 days unless otherwise specified.



INDO RESEARCH & DEVELOPMENT HOUSE PVT. LTD.



ISO 9001:2015 Certified Laboratory

ISO 17025:2017 Certified (Lab No. 4001/2016)

C-10, 2nd Floor, Sector-10, Gurgaon-122 002 (G.P.)

Tel: +91 122 4214000, Email: info@indohouse.com

ICR No. 002

TEST REPORT

(No.)

Report No.:	IND/002/2024/14-10
Date of Reporting	25/05/2024
Issued to	M/s. Ind. Tech. House Pvt. Ltd., G-10, Sector-10, Gurgaon, Haryana, India-122002
Project Name	Galvanized Sheet (Zinc-coated Sheet 100 G/MS) along with regeneration power plant at IITG by IITG at Ind. Tech. House Pvt. Ltd. Village: Subansiri, Taluk: Chhota, District: Bongaigaon, Assam
Nature of Sample	Soil
Identification of Sample	Soil sample collected from Project site
Date of Sampling	18/05/2024
Method of sampling	As per standard method
Date of testing	18/05/2024 to 23/05/2024
Sampled by	INDOH - Lab

RESULTS

S. No.	Parameter	Test Method	Results	Unit
1.	pH	IS 3101 (2018)	7.66	-
2.	Calcium	IS 4757 (2018)	15.3	g/kg
3.	Magnesium	IS 3101 (2018)	0.44	% to mass
4.	Water Holding Capacity	IS 3101 (2018)	1.0	%
5.	Specific Gravity	IS 2702 (2018)	2.66	-
6.	Bulk Density	IS 2702 (2018)	1.40	g/cm ³
7.	Chloride	IS 3101 (2018)	20.8	mg/kg
8.	Fluoride	IS 3101 (2018)	0.02	mg/kg
9.	Sulfate	IS 3101 (2018)	10.4	mg/kg
10.	Iron	IS 3101 (2018)	4.3	mg/kg
11.	Nitrogen	IS 3101 (2018)	2.4	mg/kg
12.	Nitrate-nitrogen	IS 3101 (2018)	0.0	% to mass
13.	Cation Exchange Capacity (CEC)	IS 3101 (2018)	1.4	meq/100g
14.	Available Phosphorus	IS 1480 (2018)	17.2	mg/kg
15.	Available Phosphorus	IS 3101 (2018)	1.46	mg/kg

Head Office: G-10, Sector-10,
Gurgaon-122 002, Haryana, India-122002
Tel: +91 122 4214000
Email: info@indohouse.com





INDO RESEARCH & DEVELOPMENT HOUSE PVT. LTD.

ISO 9001:2015 Certified Laboratory

ISO 14001:2015 Certified Laboratory

ISO 45001:2018 Certified Laboratory

No. 1, 4th Floor, Sector-16, Gurgaon-122002, Haryana



INDO 001

TEST REPORT

Page 1/1

(Water)

Report No.:	INDO/2024/0294-WL-101
Date of Reporting:	25/01/2024
Issued to:	M/s Ind Tech House Complex, 4/29, Ground Floor, Sector-16, Gurgaon, Delhi-122002
Project Name:	Drain Based Effluent (D/E) Test, Floor (2/3) R/W along with impregnation cement sheet of R/W & W/A Above Building at Village-Bahawal, Taluk - Dhruv, District - Mahasana, GP
Nature of Sample:	Ground Water
Identification of Sample:	Water collected from nearby Project site
Date of Sampling:	24/01/2024
Method of Sampling:	As per IS 3025-14-1-3
Time of Sampling:	16:30/2024 To 20:00/2024
Sample ID:	INDO/24-101

RESULTS

S. No.	Parameter	Test Protocol	Result	Unit	Requirements as per IS 10500-2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
1.	pH	IS 3025 P-14-1-3	7.68	-	6.5-8.5	No Restriction
2.	Hardness	IS 3025 P-14-1-3	123	mg/l	1	3
3.	Total Hardness	IS 3025 P-14-1-3	123.4	mg/l	500	500
4.	Total Hardness (Calcium)	IS 3025 P-14-1-3	88.0	mg/l	500	500
5.	Calcium (Ca)	IS 3025 P-14-1-3	62.50	mg/l	75	500
6.	Magnesium (Mg)	IS 3025 P-14-1-3	20.7	mg/l	30	500
7.	Total Hardness (Total Ca)	IS 3025 P-14-1-3	134.0	mg/l	500	500
8.	Total Hardness (Total Mg)	IS 3025 P-14-1-3	123.4	mg/l	500	500
9.	Iron (Fe)	IS 3025 P-14-1-3	0.05	mg/l	0.3	No Restriction
10.	Manganese (Mn)	IS 3025 P-14-1-3	0.02	mg/l	0.3	No Restriction
11.	Nitrate (NO ₃)	IS 3025 P-14-1-3	4.22	mg/l	50	50
12.	Nitrite (NO ₂)	IS 3025 P-14-1-3	0.02	mg/l	0.3	No Restriction





IND RESEARCH & DEVELOPMENT HOUSE PVT. LTD.



ISO/IEC 17025:2017 Recognized Laboratory

ISO 9001:2015 Certified (2019) ISO 14001:2015

C-16, 2nd Floor, Sector-4, Bellary-581001 (K.A.)

Tel: +91 932 4101985 Email: contact@indrdh.com

IC-26-1912

Report No.: IND/2024/09/WQ-01

Page 01

S.No.	Parameter	Test Protocol	Result	Unit	Requirements as per IS 15000:2012	
					Acceptable Range/Max	Permissible Range/Max
01.	Fluoride as F	IS 15001:2012 (2012)	0.01	mg/l	1	1.5
02.	Iron as Fe	IS 15001:2012 (2012)	0.1	mg/l	1.0	No Requirement
03.	Ammoniacal as N	IS 15001:2012 (2012)	0.20	mg/l	1.00	0.5
04.	Dissolved Sulphate	IS 15001:2012 (2012)	0.20	mg/l	0.2	1
05.	Residual Chlorine	IS 15001:2012 (2012)	0.20	mg/l	0.20	0.02
06.	Residual Chlorine	IS 15001:2012 (2012)	0.1	mg/l	0.1	0.4
07.	Chloride as Cl	IS 15001:2012 (2012)	0.01	mg/l	0.01	No Requirement
08.	Lead as Pb	IS 15001:2012 (2012)	0.01	mg/l	0.01	No Requirement
09.	Copper as Cu	IS 15001:2012 (2012)	0.01	mg/l	0.01	1.0
10.	Manganese as Mn	IS 15001:2012 (2012)	0.01	mg/l	0.01	No Requirement
11.	Magnesium as Mg	IS 15001:2012 (2012)	0.01	mg/l	0.01	0.5
12.	Mercury as Hg	IS 15001:2012 (2012)	0.01	mg/l	0.01	0.01
13.	Nickel as Ni	IS 15001:2012 (2012)	0.01	mg/l	0.01	No Requirement
14.	Vanadium as V	IS 15001:2012 (2012)	0.01	mg/l	0.01	No Requirement
15.	Zinc as Zn	IS 15001:2012 (2012)	0.01	mg/l	0.01	No Requirement
16.	Cadmium as Cd	IS 15001:2012 (2012)	0.01	mg/l	0.01	No Requirement
17.	Cobalt as Co	IS 15001:2012 (2012)	0.01	mg/l	0.01	No Requirement

Signature

Dr. Jha Nitin
Authorized Signature

1. The Report is valid only for the stated parameters and conditions.
 2. The Report cannot be reproduced in any form without the written permission of the issuing authority.
 3. Sample must be analyzed within the specified time period.



INDO RESEARCH & DEVELOPMENT HOUSE PVT. LTD.



ISO/IEC 17025:2017 Registered Laboratory

2021-2024 (Certificate Number: 201917025-00001-2019)

C-15, 2nd Floor, Ground, Noida-201301 (U.P.)

Tel: +91 120 4270000, E-mail: info@indodgh.com

SI No. 192

TEST REPORT

(Analytical Method)

Report No.	INDO/0124/2024-AM3-103
Date of Reporting	23/03/2024
Issued to	M/N (M) TSP House Complex, G-NH, Ground Floor, Sector-11, Noida, Delhi-110011 (India)
Project Name	Scan based TSP (Soil-Lat. Part) (ISO 11032) along with nitrogen (Soil-Lat. Part) (EN 15757) by M/N Action Dilligery Ltd. at Village-Bahadurpur, Tehsil - Ghazipur, District, Mathura, UP
Location	Project site (MNO 1)
Date of Sampling	16/03/2024 to 17/03/2024
Type of Monitoring	Ambient Noise Monitoring
Headed of sampling	INDO/AM3-103/1
Headline of Monitoring	24 Hourly
Sample Name by	INDO Team

RESULTS

Sl. No.	Location	At site analysis	
		Day Time (Leq) (dpm) (L100%)	Night Time (Leq) (dpm) (L100%)
IND-1	Project site	55.4	41.7

TSP Levels			
Sl. No.		Day Time	Night Time
1.	Suburban area	70	50
2.	Commercial area	60	45
3.	Residential area	50	40
4.	Urban Area	55	40

(Unit: dpm)


 M. N. K. Singh
 Authorized Signatory

1. For Report details go to www.indodgh.com

2. For Report details go to info@indodgh.com

3. Sample used for report: 24 hourly ambient noise

ANNEXURE V

ANNEXURE VI



UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vikhrai Khasa, Ganga Nagar, Lucknow-226013

Phone:0522-2710821/70811, 81-0522-270594, Email: uppcb@uppcb.com, Website: www.uppcb.com

Certificate No. -
16992/UPPCB Mathura/UPPCBRO/CTE MATHURA/2022

Date: - 08/11/2022

To,

Shri SANJAY KUMAR
M/s ALLIANT DISTILLERY LIMITED
Khasra No 677-680, Village-Bahrathiyali, Chhata Shergarh
Road, Chatta, Mathura, Mathura, 201401
MATHURA

Sub: "Consent to Establish" under the provisions of Water (Prevention and Control of Pollution) Act, 1974 as amended and Air (Prevention and Control of Pollution) Act, 1981 as amended.

In

Kindly refer to the Consent to Establish application dated 22/11/2022 submitted for setting up of new molasses-anaerobiosis based distillery for the production of Rectified Spirit Extra Neutral Alcohol/Absolute Alcohol/Ethanol. The unit has been issued Environmental Clearance by Ministry of Environment, Forest & Climate Change, Government of India State Level Environment Impact Assessment Authority, UP under the provisions of EIA Notification S.O. 1533(E) dated 14/09/2006 as amended.

Unit proposes to install Zero Liquid Discharge System as per the directives of Central Pollution Control Board.

The "Consent to Establish" under the provisions of Water (Prevention and Control of Pollution) Act, 1974 as amended and Air (Prevention and Control of Pollution) Act, 1981 as amended, is hereby issued for setting up of new molasses-anaerobiosis based distillery for the production of Rectified Spirit Extra Neutral Alcohol/Absolute Alcohol/Ethanol for advised production capacity, raw material, manufacturing process, zero liquid discharge based effluent treatment system and emission control systems strictly as per the conditions of Environmental Clearance. The Consent to Establish shall be subject to following conditions:

1. Unit shall ensure compliance of the conditions imposed in Environmental Clearance issued by Ministry of Environment, Forest & Climate Change, Government of India State Level Environment Impact Assessment Authority, UP.
2. The Distillery unit shall implement the project as per the proposal submitted and ensure strict compliance of zero liquid discharge system and no effluent shall be discharged outside the premises into any river/stream/ surface water body.
3. Unit shall operate 365 days per year for Incineration Boiler Covered Bio-compost based zero liquid discharge system and for 270 days per year for uncovered Bio-compost based zero liquid discharge system.
4. The maximum permissible storage capacity for concentrated spent wash shall be 07 days equivalent to spent wash generation in case of Incineration Boiler based zero liquid discharge system and shall be 10 days equivalent to spent wash generation in case of Bio-composting based zero liquid discharge system.
5. Other process effluent streams shall be treated through Condensate Polishing effluent treatment unit and treated effluent shall be recycled and utilized in the process for irrigation as per the CPCB guidelines dated 04-10-2019 for utilization of treated effluent in irrigation to achieve zero liquid discharge.
6. Unit shall install effective Air Pollution Control System and stack gas stack height from ground level as per the provisions of Environment (Protection) Rules, 1986 in order to ensure that the stack emissions conform to the prescribed norms.

7. Unit shall abstract ground water only with valid permission of Uttar Pradesh Ground Water Department under the provisions of Uttar Pradesh Ground Water (Management & Regulation) Act, 2009 as amended and ensure compliance of its conditions.

8. Installation and implementation of Online Continuous Monitoring System (OCMS) with at least 80% uptime, connected to the servers of the Central Pollution Control Board and State Pollution Control Board to report the real time quantity and quality of emissions and discharges.

9. In case of Bio-composting based Zero Liquid Discharge System, the operation of Bio-composting shall be strictly in accordance with the Standard Operating Procedure of Central Pollution Control Board.

10. Unit shall obtain Consent to Operate from UPPCB under Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 prior to the commencement of production.

11. The validity of Consent to Establish shall be 05 (Five) years from the date of issue.

12. The industry shall ensure to install the roof top Rain Water Harvesting (RWH) system and plumeware within the premises.

13. The industry shall comply with the provisions of Environment (Protection) Amendment, Rules 2016 notified by MoEF&CC by notification no. 48 Dt. 25-01-2016, Environment (Protection) Act 1986, Water (Prevention and Control of Pollution), 1974, Air (Prevention and Control of Pollution), 1981 as amended, Plastic Waste Management Rules, 2016 & Hazardous and Other Wastes (Management and Transboundary Movement), Rules 2016 (Whichever is applicable).

14. The unit shall comply with the scheme of CPCB prepared for the effluent units.

15. Unit shall deposit bank guarantee of Rs. 10 Lacs only for the compliance of above conditions within 15 days from issuance of this certificate.

Chief Environmental Officer

Copy
to:

1. Director, Impact Assessment Division, Ministry of Environment, Forest & Climate Change, Government of India, New Delhi-110003.

2. Member Secretary, State Level Environment Impact Assessment Authority, UP.

3. Exco. Commissioner, Government of Uttar Pradesh, Lucknow.

4. Regional Officer, UPPCB Mathura.

Chief Environmental Officer

ANNEXURE VII

Site Photographs

